

Energy Formula

Ahumada F, Hermosilla J, Hola R et al. Studies on the effect of Schizandra chinensis extract on horses submitted to exercise and maximum effort. *Phytother.Res.* 1989;3:175-9.

Ahumada F. Effect of Certain Adaptogenic Plant Extracts on Drug-Induced Narcosis in Female and Male Mice. *Phytotherapy Research* 1991;5.

Allen JD, McLung J, Nelson AG, Welsch M. Ginseng supplementation does not enhance healthy young adults' peak aerobic exercise performance. *J.Am.Coll.Nutr.* 1998;17:462-6.

Arai I. Effects of Gomisin A (TJN-101), A Lignan Compound from Schisandra Fruits on Liver Metabolism in Rats. *Jap.J.Pharmacol.* 1990;52.

Argento A, Tiraferri E, Marzaloni M. Oral anticoagulants and medicinal plants. An emerging interaction. *Ann.Ital.Med.Int.* 2000;15:139-43.

Avakian E, Evonuk E. Effect of Panax Ginseng Extract on Tissue Glycogen and Adrenal Cholesterol Depletion During Prolonged Exercise. *Planta Medica* 1979;36:43-8.

Baek NI, Kim DS, Lee YH, Park JD, Lee CB, Kim SI. Ginsenoside Rh4, a genuine dammarane glycoside from Korean red ginseng. *Planta Med* 1996;62:86-7.

Bahrke MS, Morgan WP. Evaluation of the ergogenic properties of ginseng. *Sports Med* 1994;18:229-48.

Bahrke MS, Morgan WR. Evaluation of the ergogenic properties of ginseng: an update. *Sports Med.* 2000;29:113-33.

Bao TT, Liu G-T, Song Z-Y, et al. A comparison of the pharmacologic actions of 7 constituents isolated from fructus schizandrae. *Chinese Medical Journal* 1980;93:41-7.

Blumenthal M. *Popular Herbs in the U.S. Market: Therapeutic Monographs.* Austin, TX: American Botanical Association, 1997.

Blumenthal M. Schisandra Fruit is Chinese Balancing Act. *Let's Live* 1995;68-71.

Bol'shakova IV, Lozovskaia EL, Sapezhinskii II. Antioxidant properties of a series of extracts from medicinal plants. *Biofizika* 1997;42:480-3.

Bradley PR. *British Herbal Compendium.* Dose, England: British Herbal Medicine Association, 1992.

Brekhman II, Dardymov IV. New substances of plant origin which increase nonspecific

resistance. *Annu.Rev.Pharmacol.* 1969;9:419-30.

Byun BH, Shin I, Yoon Y-S, et al. Modulation of protein kinase C activity in NIH 3T3 cells by plant glycosides from *Panax ginseng*. *Planta Med* 1997;63:389-92.

Choi HK, Seong DH, Rha KH. Clinical efficacy of Korean red ginseng for erectile dysfunction. *Int J Impot.Res* 1995;7:181-6.

Choi J. The effects of red ginseng intake and exercise on information processing performance in the middle-aged and elderly. 7th International Symposium on Ginseng, Seoul, Korea, The Korean Society of Ginseng 1998;101 (abstr).

Choi YD, Rha KH, Choi HK. In vitro and in vivo experimental effect of Korean red ginseng on erection. *Journal of Urology* 1999;162:1508-11.

Cui X. Orally administered ginseng extract stimulates liver regeneration in partially hepatectomized rats. *Acta Medica et Biologica* 1997;45:161-6.

D'Angelo L, Grimaldi R, Caravaggi M et al. A double-blind, placebo-controlled clinical study on the effect of a standardized ginseng extract on psychomotor performance in healthy volunteers. *J.Ethnopharmacol.* 1986;16:15-22.

Darbinyan V, Kteyan A, Panossian A, Gabrielian E, Wikman G, Wagner H. *Rhodiola rosea* in stress induced fatigue--a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty [In Process Citation]. *Phytomedicine.* 2000;7:365-71.

Dega H. Ginseng as a Cause for Stevens-Johnson Syndrome? *Lancet* 1996;347:1344.

Dorling E. Do Ginsenosides Influence Performance Results of a Double Blind Study. *Notabene* 1980;241-6.

Duncan HFM, Ip S-P, li P-C, et al. Effects of Schisandrin B and alpha-tocopherol on lipid peroxidation, in vitro and in vivo. *Mol.Cell.Biochem.* 1996;165:161-5.

Engels H-J, Said JH, Wirth JC. Failure of chronic ginseng supplementation to affect work performance and energy metabolism in health adult females. *Nutr Res* 1999;16:1295-305.

Engels HJ, Wirth JC. No ergogenic effects of ginseng (*Panax ginseng* C.A. Meyer) during graded maximal aerobic exercise. *J Am Diet Assoc* 1997;97:1110-5.

Fan W, Tezuka Y, Komatsu K, Namba T, Kadota S. Prolyl endopeptidase inhibitors from the underground part of *Rhodiola sacra* S. H. Fu. *Biol.Pharm.Bull.* 1999;22:157-61.

Foster S, Yue C. *Herbal Emissaries*. Rochester VT: Healing Arts Press, 1992.

- Foster S. Schisandra an Herb in Need of Study. The Business of Herbs 1996.
- Fulder SJ, Kataria M, Gethyn-Smith B. A double-blind clinical trial of Panax ginseng in aged subjects, in: Proceedings of the 4th International Ginseng Symposium. Ginseng and Tobacco Research Institute 1984;215-23.
- Fulder SJ. Ginseng and the hypothalamic-pituitary control of stress. American Journal of Chinese Medicine 1981;9:112-8.
- Fulder SJ. The Book of Ginseng. Rochester, VT: Healing Arts Press, 1993.
- Furmanowa M, Kedzia B, Hartwich M et al. Phytochemical and Pharmacological properties of Rhodiola rosea L. Herba Polonica 1999;2:108-13.
- Germano C, Ramazanov Z, Del Mar Bernal Suarez M. Arctic Root (Rhodiola rosea). The powerful new Ginseng Alternative. NY, NY: Kensington Books, 1999.
- Hallstrom C. Effects of Ginseng on the Performance of Nurses on Night Duty. Comparative Medicine East and West 1982;VI:277-82.
- Hancke J, Burgos R, Cacered D. Reduction of serum hepatic transminases and CPK in sport horses with poor performance treated with a standardized Schisandra chinensis fruit extract. Phytomedicine 1996;3:237-40.
- Hancke J, Burgos R, Wikman G, Ewertz E, Ahumada F. Schizandra chinensis, a potential phytodrug for recovery of sport horses. Fitoterapia 1999;65:113-8.
- Hess FGJ, Parent RA, Cox KR, et al. Effects of Subchronic Feeding of Ginseng Extract G115 in Beagle Dogs. Food Chem.Toxicol. 1983;21:95-7.
- Hiai S, Yokoyama H, Oura H, et al. Stimulation of pituitary-adrenocortical system by ginseng saponin. Endocrinologica Japonica 1979;26:661-5.
- Hikino H, Oshima Y, Suzuki Y, Konno C. Isolation and hypoglycemic activity of panaxans F, G, and H, glycans of Panax ginseng roots. Shoyakugaku Zasshi 1985;39:331-3.
- Hikino H. Antihepatotoxic Actions of Lignoids from Schizandra chinensis Fruits. Planta Medica 1984;50:213-8.
- Hobbs C. The Ginsengs: A user's Guide. Santa Cruz: Botanica Press, 1996.
- Ikeya Y, Taguchi H, Yosioka I, Kobayashi H. The constituents of Schizandra chinensis Baill. I. Isolation and structure determination of five new lignans, gomisins A, B, C, F and G, and the absolute structure of schizandrin. Chem.Pharm.Bull.(Tokyo) 1979;27:1383-94.

INPR Natural Products Desk Reference. The Institute for Natural Products Research. 1999.

Ip S, Poon MKT, Wu S, et al. Effect of Schisandrin B on Hepatic Glutathione Antioxidant System in Mice Protection against Carbon Tetrachloride Toxicity. *Planta Med* 1995;61:398-401.

Ismail MF, Gad MZ, Hamdy MA. Study of the hypolipidemic properties of pectin, garlic and ginseng in hypercholesterolemic rabbits. *Pharmacological Research* 1999;39:157-66.

Kim C, Choi H, Kim CC, Kim JK, Kim MS. Influence of ginseng on mating behavior of male rats. *Am J Chin Med* 1976;4:163-8.

Kim K-H, Lee Y-S, Jung I-S, et al. Acidic polysaccharides from *Panax ginseng*, ginsan, induces Th1 cell and macrophage cytokines and generates LAK cells in synergy with rIL-2. *Planta Med* 1998;64:110-5.

Kim YH, Park KH, Rho HM. Transcriptional activation of the Cu,Zn-superoxide dismutase gene through the AP2 site by ginsenoside Rb2 extracted from a medicinal plant, *Panax ginseng*. *J Biol Chem* 1996;271:24539-43.

Kim YW, Song DK, Kim WH et al. Long-term oral administration of ginseng extract decreases serum gamma-globulin and IgG1 isotype in mice. *Journal of Ethnopharmacology* 1997;58:55-8.

Kimura I, Nakashima N, Sugihara Y, Fu-jun C, Kimura M. The antihyperglycaemic blend effect of traditional chinese medicine byakko-ka-ninjin-to on alloxan and diabetic KK-CA(y) mice. *Phytother.Res.* 1999;13:484-8.

Ko KM, Ip SP, Poon MK et al. Effect of a lignan-enriched fructus schisandrae extract on hepatic glutathione status in rats: protection against carbon tetrachloride toxicity. *Planta Med.* 1995;61:134-7.

Ko KM, Ip SP, Poon MKT, et al. Effect of a lignan-enriched Fructus Schisandrae extract on hepatic glutathione status in rats: Protection against carbon tetrachloride toxicity. *Planta Med* 1995;61:134-7.

Konno C, Hikino H. Isolation and Hypoglycemic Activity of Panaxans M, N, O and P, Glycans of *Panax ginseng* Roots. *Int.J.Crude Drug Res.* 1987;53-6.

Konno C, Murakami M, Oshima Y, Hikino H. Isolation and hypoglycemic activity of panaxans Q, R, S, T and U, glycans of *Panax ginseng* roots. *J Ethnopharmacol.* 1985;14:69-74.

Konno C, Sugiyama K, Kano M, Takahashi M, Hikino H. Isolation and hypoglycaemic activity of panaxans A, B, C, D and E, glycans of *Panax ginseng* roots. *Planta Med*

1984;50:434-6.

Kubo S. Effect of Gomisins A (TJN-101) on Liver Regeneration. *Planta Medica* 1992;58.

Kuo Y-H, Kou L-MY, Chen C-F. Four new C₁₉ homolignans, schiarisanrins A, B, and D and cytotoxic schiarisanrin C, from *Schizandra arisanensis*. *J Org.Chem* 1997;62:3242-5.

Kustrak D. The Composition of the Essential Oil of *Vitex agnus-castus*. *Planta Medica* 1993;58.

Lee BM, Lee SK, Kim HS. Inhibition of oxidative DNA damage, 8-OHdG, and carbonyl contents in smokers treated with antioxidants (vitamin E, vitamin C, beta-carotene and red ginseng). *Cancer Letters* 1998;132:219-27.

Lee KY, Lee YH, Kim SI, Park JH, Lee SK. Ginsenoside-Rg5 suppresses cyclin E-dependent protein kinase activity via up-regulating p21^{Cip}/WAF1 and down-regulating cyclin E in SK-HEP-1 cells. *Anticancer Res* 1997;17:1067-72.

Lee MW, Lee YA, Park HM et al. Antioxidative phenolic compounds from the roots of *Rhodiola sachalinensis* A. Bor. *Arch.Pharm.Res.* 2000;23:455-8.

Lee Y-S, Chung I-S, Lee I-R, et al. Activation of multiple effector pathways of immune system by the antineoplastic immunostimulator acid polysaccharide ginsan isolated from *Panax ginseng*. *Anticancer Research* 1997;17:323-32.

Li X, Zhao B, Liu G-T, et al. Scavenging effects on active oxygen radicals by schizandrins with different structures and configurations. *Free Radical Biol Med* 1990;9:99-104.

Lishmanov I, Maslova LV, Maslov LN, Dan'shina EN. The anti-arrhythmia effect of *Rhodiola rosea* and its possible mechanism. *Biull.Eksp.Biol.Med.* 1993;116:175-6.

Lishmanov I, Naumova AV, Afanas'ev SA, Maslov LN. Contribution of the opioid system to realization of inotropic effects of *Rhodiola rosea* extracts in ischemic and reperfusion heart damage in vitro. *Eksp.Klin.Farmakol.* 1997;60:34-6.

Liu GT. Hepato-pharmacology of *Fructus Schisandrae*. In: Chang HM, Yeung HW, Tso WW, Koo A, eds. *Advances in Chinese medicinal materials research*. Singapore: World Scientific Publishing Co. 1985.

Liu J, Wang S, Liu H, Yang L, Nan G. Stimulatory effect of saponin from *Panax ginseng* on immune function of lymphocytes in the elderly. *Mech.Ageing Dev* 1995;83:43-53.

Liu K-T, Cresteil T, Columelli S, Lesca P. Pharmacological properties of dibenzo[a,c]cyclooctene derivatives isolated from *Fructus Schizandrae chinensis* II. Induction of phenobarbital-like hepatic monooxygenases. *Chem Biol Interact.*

1982;39:315-30.

Liu KT, Cresteil T, Le Provost E, Lesca P. Specific evidence that schizandrins induce a phenobarbital-like cytochrome p-450 form separated from rat liver. *Biochemical and Biophysical Research Communications* 1981;103:1131-7.

Liu K-T, Lesca P. Pharmacological properties of dibenzo[a,c]cyclooctene derivatives isolated from *Fructus schizandrae chinensis* III. Inhibitory effects on carbon tetrachloride-induced lipid peroxidation, metabolism, and covalent binding of carbon tetrachloride to lipids. *Chem Biol Interact.* 1982;41:39-47.

Liu KT. *Stuies on Fructus Schizandrae chinensis*. Annex 12:Studies on Fructus Schizandrae chinensis:Plenary lecture, World Health Organization (WHO) Seminar on the use of medicinal plants in health care, Sep 1977, Tokyo Japan. World Health Organization Regional Office for the Western Pacific. Final Report (November 1977), Manila, Phillipines. 1977:101-12.

Lu H, Liu G. Anti-Oxidant Activity of Dibenzocyclooctene Lignans Isolated from *Fructus Schisandrae* on Lipid Peroxidation and Antioxidative Enzyme Activity. *Chem Biol Interact.* 1992;78:77-84.

Lu H, Liu G-T. Anti-oxidant activity of dibenzocyclooctene lignans isolated from *Schisandraceae*. *Planta Med* 1992;58:311-3.

Lu W, Zheng G-G, Cai J. First total synthesis of panxytriol, a potent antitumor agent isolated from *Panax ginseng*. *Synlett* 1998;737-8.

Maeda S. Pharmacological Studies on Schizandra Fruit, I General Pharmacological Effects of Gomisin A and Schizandrin. *Yakugaku* 1981;1030-41.

Maimeskulova LA, Maslov LN, Lishmanov I, Krasnov EA. The participation of the mu-, delta- and kappa-opioid receptors in the realization of the anti-arrhythmia effect of *Rhodiola rosea*. *Eksp.Klin.Farmakol.* 1997;60:38-9.

Maimeskulova LA, Maslov LN. The anti-arrhythmia action of an extract of *Rhodiola rosea* and of n- tyrosol in models of experimental arrhythmias. *Eksp.Klin.Farmakol.* 1998;61:37-40.

Marcilhac A, Dakine N, Bourhim N et al. Effect of chronic administration of Ginkgo biloba extract or Ginkgolide on the hypothalamic-pituitary-adrenal axis in the rat. *Life Sci.* 1998;62:2329-40.

Marina TF, Alekhova TM, Plotnikova TM. The influence of *Rhodiola rosea* preparations on the spontaneous bioelectric activity and electrographic reactions of the cortex of the large hemispheres and some sub cortical structures. *Izvestia Sib.Dept of the Academy*

Science of the USSR.Ser biolmed.sciences 1973;3:85-9.

Maslov LN, Lishmanov I, Maimeskulova LA, Krasnov EA. Mechanism of the anti-arrhythmic effect of *Rhodiola rosea* extract. *Biull.Eksp.Biol.Med.* 1998;125:424-6.

Maslov LN, Lishmanov I, Naumova AV, Lasukova TV. Do endogenous ligands of peripheral mu- and delta-opiate receptors mediate anti-arrhythmic and cardioprotective effects of *Rhodiola rosea* extract?. *Biull.Eksp.Biol.Med.* 1997;124:151-3.

Maslova LV, Kondrat'ev BI, Maslov LN, Lishmanov I. The cardioprotective and antiadrenergic activity of an extract of *Rhodiola rosea* in stress. *Eksp.Klin.Farmakol.* 1994;57:61-3.

McIntosh LJ, Hong KE, Sapolsky RM. Glucocorticoids may alter antioxidant enzyme capacity in the brain: baseline studies. *Brain Res.* 1998;791:209-14.

McNaughton L, Egan G, Caelli G. A comparison of Chinese and Russian ginseng as ergogenic aids to improve various facets of physical fitness. *International Clinical Nutrition Review* 1989;9:32-5.

Miyamoto K. Effects of Gomisin A on Hepatocarcinogenesis by 3'MeDAB in Rats. *Jap.J.Pharmacol.* 1991;55.

Mizoguchi Y, Shin T, Kobayashi K, Morisawa S. Effect of gomisin A in an immunologically-induced acute hepatic failure model. *Planta Med.* 1991;57:11-4.

Mizoguchi Y. Effect of Gomisin A in the Prevention of Acute Hepatic Failure Induction. *Planta Medica* 1991;57.

Murase K, Yamamoto T, Hayashi K. Nerve growth factor-like immunoreactive substance in *Panax ginseng* extract. *Biosci Biotech Biochem* 1994;58:1638-41.

Nagai H. The Effect of Gomisin A on Immunologic Liver Injury in Mice. *Planta Medica* 1989;55:13-7.

Newall CA, Anderson LA, Phillipson JD. *Herbal Medicines: A Guide for Health Care Professionals.* London England: The Pharmaceutical Press, 1996.

Ng TB, Yeung HW. Hypoglycemic constituents of *Panax ginseng*. *Gen.Pharmacol* 1985;16:549-52.

Nomura M. Gomisin A, a Lignan Component of *Schizandra* Fruits, Inhibits Development of Preneoplastic Lesions in Rat Liver by 3'-Methyl-4- dimethylamino-azobenzene. *Cancer L* 1994;11-8.

Oh KW, Kim HS, Wagner GC. Ginseng total saponin inhibits the dopaminergic

depletions induced by methamphetamine. *Planta Med* 1997;63:80-1.

O'Hara M, Kiefer D, Farrell K, Kemper K. A review of 12 commonly used medicinal herbs. *Arch.Fam.Med.* 1998;7:523-36.

Ohkura Y. Inhibitory Effect of TJN-101[...] on Immunologically Induced Liver Injuries. *Japan.J* 1987;179-85.

Ohsugi M, Fan W, Hase K et al. Active-oxygen scavenging activity of traditional nourishing-tonic herbal medicines and active constituents of *Rhodiola sacra*. *J.Ethnopharmacol.* 1999;67:111-9.

Ohtaki Y. Inhibition by Gomisin A, a Lignan Compound, Hepatocarcinogenesis by 3'-Methyl-4-Dimethylaminoazobenzene in Rats. *Biol.Ph* 1994;808-14.

Okrent N. Ginseng. *Townsend Letter for Doctors* 1994;162-168:304-9.

Oshima Y. Isolation and Hypoglycemic Activity of Panaxans I,J,K and L, Glycans of *Panax ginseng* Roots. *Ethnopharmacol* 1985;14:255-9.

Owen R. Ginseng-A Pharmacological Profile. *Drugs of Today* 1981;17:343-51.

Palmer BV, Montgomery AC, Monteiro JC. Gin Seng and mastalgia. *Br Med J* 1978;1:1284.

Panossian AG, Oganessian AS, Ambartsumian M, Gabrielian ES, Wagner H, Wikman G. Effects of heavy physical exercise and adaptogens on nitric oxide content in human saliva. *Phytomedicine* 1999;6:17-26.

Pearce PT, Zois I, Wynne KN, et al. *Panax ginseng* and *Eleutherococcus senticosus* extracts in vitro studies on binding to steroid receptors. *Endocrinologica Japonica* 1982;29:567-73.

Petkov V, Moscharrof A. Effects of Standardized Ginseng Extract on Learning, Memory and Physical Capabilities. *American Journal of Chinese Medicine* 1987;XV:19-29.

Petkov VD, Yonkov D, Mosharoff A et al. Effects of alcohol aqueous extract from *Rhodiola rosea* L. roots on learning and memory. *Acta Physiol Pharmacol.Bulg.* 1986;12:3-16.

Quiroga H. Estudio comparativo a doble ciego de la accion de Ginsana G115 e hydergina en deficits cerebrovasculares [Comparative Double-Blind Study of the Effect of Ginsana G115 and Hydergin on Cerebrovascular Deficits]. *Orientac* (English translation from Ginsana collection) 1999;201-2.

Ren Q. Observation of the curative effect of *Cordyceps sinensis* (CS) on Heymann

Nephritis. Journal of China Medical University 1992;21:428-31.

Salbe AD, Bjeldanes LF. The effects of dietary brussels sprouts and schizandra chinensis on the xenobiotic-metabolizing enzymes of the rat small intestine. Fd Chem.Toxic. 1985;23:57-65.

Salikhova RA, Aleksandrova IV, Mazurik VK, Mikhailov VF, Ushenkova LN, Poroshenko GG. [Effect of Rhodiola rosea on the yield of mutation alterations and DNA repair in bone marrow cells]. Patol.Fiziol.Eksp.Ter. 1997;22-4.

Salvati G, Genovesi G, Marcellini L, et al. Effects of Panax ginseng C.A. Meyer saponins on male fertility. Panminerva.Med 1996;38:249-54.

Sapolsky RM, Romero LM, Munck AU. How do glucocorticoids influence stress responses? Integrating permissive, suppressive, stimulatory, and preparative actions. Endocr.Rev. 2000;21:55-89.

Sapolsky RM. Glucocorticoids and hippocampal atrophy in neuropsychiatric disorders. Arch.Gen.Psychiatry 2000;57:925-35.

Sapolsky RM. Glucocorticoids, stress, and their adverse neurological effects: relevance to aging. Exp.Gerontol. 1999;34:721-32.

Sapolsky RM. Stress, Glucocorticoids, and Damage to the Nervous System: The Current State of Confusion. Stress. 1996;1:1-19.

Sapolsky RM. The possibility of neurotoxicity in the hippocampus in major depression: a primer on neuron death [In Process Citation]. Biol.Psychiatry 2000;48:755-65.

Saratikov AS, Krasnov EA, Chnikina LA, Duvidson LM, Sotova MI, Marina TF. Rhodioloside, a new glycoside from Rhodiola rosea and its pharmacological properties. Pharmazie 1968;392-5.

Saratikov AS, Krasnov EA. Rhodiola Rosea is a valuable Medicinal Plant. 1987:252.

Sato K, Yoo YC, Mochizuki M, Saiki I, Takahashi TA, Azuma I. Inhibition of tumor-induced angiogenesis by a synthetic lipid A analogue with low endotoxicity, DT-5461. Jpn.J.Cancer Res. 1995;86:374-82.

Scaglione F, Cogo R, Cocuzza C, et al. Immunomodulatory effects of Panax ginseng C.A. Meyer (G115) on alveolar macrophages from patients suffering with chronic bronchitis. Int J Immunotherapy 1994;X:21-4.

Scaglione F. Immunomodulatory Effects of Two Extracts of Panax ginseng C.A. Meyer. Drugs Exptl.Clin.Res. 1990;XVI:537-42.

Schizandra. The Lawrence Review of Natural Products 1988.

Sharma KK, Sharma A, Charturvedi M. Testicular dysfunction in rat/rabbit following Panax ginseng (G-115 Fr.I) feeding. International Ginseng Conference '99 Programme and Abstracts, July 8-11, 1999, Hong Kong, Hong Kong, China 1999; (abstr).

Shibata S. Chemistry and Pharmacology of Panax. In: Wagner H, Hikino H, Farnsworth NR, eds. Economic and Medicinal Plant Research 1. New York, NY: Academic Press 1985:217-84.

Shinkai K, Akedo H, Mukai M, et al. Inhibition of in vitro tumor cell invasion by ginsenoside Rg3. Jpn J Cancer Res 1996;87:357-62.

Siegel RK. Ginseng abuse syndrome. Problems with the panacea. JAMA 1979;241:1614-5.

Smolinske SC. Dietary supplement-drug interactions. J. Am. Med. Womens Assoc. 1999;54:191-2,195.

Sohn E. The Effect of Ginseng on Blood Pressure in Spontaneously Hypertensive Rat and Essential Hypertension. Proceedings, Korea Ginseng & Tobacco Research Institute 1980.

Sonoda Y, Kasahara T, Mukaida N, et al. Stimulation of interleukin-8 production by acidic polysaccharides from the root of Panax ginseng. Immunopharmacology 1998;38:287-94.

Sorensen H, Sonne J. A double-masked study of the effects of ginseng on cognitive functions. Current Therapeutic Research 1996;57:959-68.

Spasov AA, Wikman GK, Mandrikov VB, Mironova IA, Neumoin VV. A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of Rhodiola rosea SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen. Phytomedicine. 2000;7:85-9.

Suekawa M. Effects of Gomisin J and Analogous Lignan Compounds in Schisandra Fruits on Isolated Smooth Muscles. Yakugaku 1987;720-6.

Sun H-D, Qiu S-X, Lin L, et al. Nigraoic acid, a triterpenoid from Schisandra sphaerandra than inhibits HIV-1 reverse transcriptase. J Nat Prod 1996;59:525-7.

Takahashi M, Tokuyama S. Pharmacological and physiological effects of ginseng on actions induced by opioids and psychostimulants. Meth Find Exp Clin Pharmacol 1998;20:77-84.

Takeda S, Arai I, Kase Y. Pharmacological studies on antihepatotoxic action of (+)-(6S,7S,R-Biar)-5,6,7,8-tetrahydro-1,2,3,12-tetramethoxy-6,7-dimethyl-10,11-

meththylendioxy-6-dibenzo[a,c]cyclooctenol (TJN-101), a lignan component of Schisandra fruits. Influences of solvents on the efficacy of TJN-101 in the experimental acute hepatic injuries. *Yakugaku Zasshi* 1987;107:517-24.

Tang W, Eisenbrand G. *Chinese drugs of plant origin*. Berlin: Springer-Verlag, 1987.

Teng CM, Kuo SC, Ko FN et al. Antiplatelet actions of panaxynol and ginsenosides isolated from ginseng. *Biochim Biophys. Acta* 1989;990:315-20.

Tiantong B, Gentao L, Zhenya S. A comparison of the pharmacological actions of 7 constituents isolated from fructus Schizandrae. *Chinese Medical Journal* 1980;93:41-7.

Tomoda M, Hirabayashi K, SHIMIZU N, et al. The core structure of ginsenan PA, a phagocytosis-activating polysaccharide from the root of *Panax ginseng*. *Biol Pharm Bull* 1994;17:1287-91.

Tomoda M, Takeda K, SHIMIZU N et al. Characterization of two acidic polysaccharides having immunological activities from the root of *Panax ginseng*. *Biol Pharm Bull* 1993;16:22-5.

Udelsman R, Holbrook NJ. Endocrine and molecular responses to surgical stress. *Curr. Probl. Surg.* 1994;31:653-720.

Voces J, Alvarez AI, Vila L, Ferrando A, Cabral dO, Prieto JG. Effects of administration of the standardized *Panax ginseng* extract G115 on hepatic antioxidant function after exhaustive exercise. *Comp Biochem. Physiol C. Pharmacol. Toxicol. Endocrinol.* 1999;123:175-84.

Voces J, Alvarez AI, Vila L, Ferrando A, Cabral DO, Prieto JG. Effects of administration of the standardized *Panax ginseng* extract G115 on hepatic antioxidant function after exhaustive exercise. *Comp Biochem. Physiol C. Pharmacol. Toxicol. Endocrinol.* 1999;123:175-84.

Vogler BK, Pittler MH, Ernst E. The efficacy of ginseng. A systematic review of randomised clinical trials. *Eur. J. Clin. Pharmacol.* 1999;55:567-75.

Volicer L, Janku I, Motl O, Jiricka Z. The mode of action of *Schizandra chinensis*. In: Chen KK, Mukerji B, Volicer L, eds. *Pharmacology of Oriental Plants*. New York, NY: Pergamon Press Book, MacMillan Co. 1963:29-38.

Vuksan V, Sievenpiper JL, Koo VY et al. American ginseng (*Panax quinquefolius* L) reduces postprandial glycemia in nondiabetic subjects and subjects with type 2 diabetes mellitus. *Arch. Intern. Med.* 2000;160:1009-13.

Wagner H. A New Antiphlogistic Principle from *Sabal serrulata*, II. *Planta Medica*

1981;41:252-8.

Wagner HCH, Bauer R, Nenninger A, et al. Fructus schisandrae--Wuweizi. Impressum of the Serial Publication: Chinese Drug Monographs and Analysis 1996;1:1-8.

Wang LC, Lee TF. Effect of ginseng saponins on exercise performance in non-trained rats. *Planta Med.* 1998;64:130-3.

Watanabe H. Effect of Panax Ginseng on Age-Related Changes in the Spontaneous Motor Activity and Dopaminergic Nervous System in the Rat. *Japan.J* 1991;51-6.

Wuweizi. In: Chang H-M, But PP-H, eds. *Pharmacology and Applications of Chinese Materia Medica.* World Scientific 1986:199-209.

Yamamoto M, Kumagai A, Yamamura Y. Stimulatory effect of Panax ginseng principles on DNA and protein synthesis in rat testes. *Arzneimittelforschung* 1977;27:1404-5.

Yun T-K, Yun Y-S, Han I-W. Anticarcinogenic effect of long-term oral administration of red ginseng on newborn mice exposed to various chemical carcinogens. *Cancer Detect.Prev.* 1983;6:515-25.

Yun YS, Kim SH. Inhibition of development of benzo[a]pyrene-induced mouse pulmonary adenoma by several natural products in medium-term bioassay system. *Journal of Korean Cancer Association* 1988;20:133-42.

Zhang K-J, Lin T-J, Qin L, et al. Effect of schisanhenol on function and surface shape of rat neutrophils. *Acta Pharmacologica Sinica* 1995;16:234-8.

Zhang T-M, Wang B-E, Liu G-T, et al. Effect of schisandrin B on lipoperoxidative damage to plasma membrane of rat liver in vivo. *Acta Pharmacologica Sinica* 1992;13:255-8.

Zhu M, Chan KW, Ng LS, Chang Q, Chang S, Li RC. Possible influences of ginseng on the pharmacokinetics and pharmacodynamics of warfarin in rats. *J Pharm Pharmacol* 1999;51:175-80.